

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	0	analy\$4 with measur\$6 with value\$1 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 13:57	
2	BRS	0	analy\$4 with measur\$6 with variation with (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 13:58	
3	BRS	2182	analy\$4 with measur\$6 with variation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 13:57	
4	BRS	0	analy\$4 with measur\$6 with variation same (classify\$3 with categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 13:58	
5	BRS	24	analy\$4 with measur\$6 with variation same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 13:58	
6	BRS	49	analy\$4 with measur\$6 with variation\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 13:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	20	analy\$4 with measur\$6 with variation\$1 with (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 13:59	
8	BRS	0	analy\$4 with measur\$6 with variation\$1 with subset\$1 with (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:00	
9	BRS	0	analy\$4 with measur\$6 with variation\$1 with subset\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:00	
10	BRS	12	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:00	
11	BRS	4	analy\$4 with measur\$6 with subset\$1 same (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:01	
12	BRS	2	analy\$4 with measur\$6 with subset\$1 with communicat\$3 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	0	analy\$4 with measur\$6 with subset\$1 with communicat\$3 with signal\$41 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:02	
14	BRS	3	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:37	
15	BRS	0	analy\$4 with measur\$6 with var\$6 with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1 and (homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:05	
16	BRS	51	(homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 11:59	
17	BRS	0	(homoscedastic or heteroscedastic) and communicat\$3 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	8	(homoscedastic or heteroscedastic) and nois\$1 with measur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:07	
19	BRS	34	analy\$4 adj set adj value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:21	
20	BRS	1	(analy\$4 adj set adj value\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:21	
21	BRS	0	analy\$4 adj set adj value\$1 and contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:22	
22	BRS	0	analy\$4 adj set adj value\$1 with contiguous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:22	
23	BRS	3	analy\$4 with measur\$6 with (deviation\$1 or var\$6) with subset\$1 and communicat\$3 with signal\$1 and (class\$5 or categoriz\$3) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	285	measur\$6 with variation with residual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:24	
25	BRS	0	measur\$6 with variation with residual with subset\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:24	
26	BRS	9	measur\$6 with variation with residual and subset\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:24	
27	BRS	7	measur\$6 with variation with residual and subset\$1 and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:24	
28	BRS	7	defin\$3 with (subset\$1 or sub-set\$1) with contiguous with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:29	
29	BRS	10	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:32	

Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS 0	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and variation\$1 and residual\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:31	
31	BRS 0	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and residual\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:31	
32	BRS 6	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and variation\$1 and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:32	
33	BRS 6	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1 and (deviation\$1 or variation\$1) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:32	
34	BRS 15	defin\$3 with (subset\$1 or sub-set\$1) with (continuous or contiguous) with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
35	BRS	5	"702"/\$.cccls. and tsai.xa. and hood	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 14:39	
36	BRS	26	measur\$6 with (deviation\$1 or variation\$1) with subsets	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 14:40	
37	BRS	9	measur\$6 with (deviation\$1 or variation\$1) with subsets with values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 14:41	
38	BRS	0	measur\$6 with (deviation\$1 or variation\$1) with subsets with (continuous or contiguous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 14:41	
39	BRS	13	measur\$6 with (deviation\$1 or variation\$1) with subsets and (continuous or contiguous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 14:49	
40	BRS	8286	analy\$4 with set with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 14:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS	0	analy\$4 with set with value\$1 and defin\$3 with subset\$1 with (contigu\$5 or contin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:52	
42	BRS	1	analy\$4 with set with value\$1 and defin\$3 with (sub-set or subset\$1) with (contigu\$5 or contin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:53	
43	BRS	191	analy\$4 with set with value\$1 and defin\$3 with (sub-set or subset\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:53	
44	BRS	20	(categor\$5 or class\$2 or classif\$7) with set with value\$1 with measur\$6 with (variation\$1 or deviation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:04	
45	BRS	5	(categor\$5 or class\$2 or classif\$7) with set with value\$1 with measur\$6 with (variation\$1 or deviation\$1) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 14:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
46	BRS	0	(categor\$5 or class\$2 or classif\$7) with (subset\$1 or sub-set\$1) with value\$1 with measur\$6 with (variation\$1 or deviation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:04	
47	BRS	0	(categor\$5 or class\$2 or classif\$7) with (subset\$1 or sub-set\$1) with measur\$6 with (variation\$1 or deviation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:05	
48	BRS	127	(categor\$5 or class\$2 or classif\$7) with (subset\$1 or sub-set\$1) with measur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:05	
49	BRS	8	(categor\$5 or class\$2 or classif\$7) with (subset\$1 or sub-set\$1) with measur\$6 and communicat\$3 and residual\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:06	
50	BRS	51	(categor\$5 or class\$2 or classif\$7) with (subset\$1 or sub-set\$1) with measur\$6 and communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
51	BRS	2	(categor\$5 or class\$2 or classif\$7) with (subset\$1 or sub-set\$1) with measur\$6 with communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:25	
52	BRS	0	(categor\$5 or class\$2 or classif\$7) with residual with value\$1 and (subset\$1 or sub-set\$1) with (variation\$1 or deviation\$1 or differen\$2) with measur\$6 with communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:14	
53	BRS	0	(categor\$5 or class\$2 or classif\$7) with residual with value\$1 and (subset\$1 or sub-set\$1) with (variation\$1 or deviation\$1 or differen\$2) with measur\$6 and communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
54	BRS	0	(categor\$5 or class\$2 or classif\$7) with residual and (subset\$1 or sub- set\$1) with (variation\$1 or deviation\$1 or differen\$2) with measur\$6 and communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:15	
55	BRS	0	(categor\$5 or class\$2 or classif\$7) with residual\$1 and (subset\$1 or sub- set\$1) with (variation\$1 or deviation\$1 or differen\$2) with measur\$6 and communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:15	
56	BRS	2218	(categor\$5 or class\$2 or classif\$7) with residual\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:15	
57	BRS	0	(categor\$5 or class\$2 or classif\$7) with residual\$1 and (subset\$1 or sub- set\$1) with (variation\$1 or deviation\$1 or differen\$2) with measur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
58	BRS	15	(categor\$5 or class\$2 or classif\$7) with residual\$1 and (subset\$1 or sub- set\$1) and (variation\$1 or deviation\$1 or differen\$2) with measur\$6 and communicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:17	
59	BRS	13	(categor\$5 or class\$2 or classif\$7) with residual\$1 and (subset\$1 or sub- set\$1) and (variation\$1 or deviation\$1 or differen\$2) with measur\$6 and communicat\$3 and (contin\$4 or contig\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:18	
60	BRS	8	(categor\$5 or class\$2 or classif\$7) with residual\$1 and (subset\$1 or sub- set\$1) and (variation\$1 or deviation\$1 or differen\$2) with measur\$6 and communicat\$3 and (contin\$4 or contig\$6) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
61	BRS	1	continuous with variance with analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:22	
62	BRS	0	residual with data with homoscedastic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:32	
63	BRS	0	(classif\$7 or categor\$7) with residual\$1 with numeric\$2 with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:33	
64	BRS	3	(classif\$7 or categor\$7) and residual\$1 with numeric\$2 with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:33	
65	BRS	34	residual\$1 with numeric\$2 with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:35	
66	BRS	9	residual\$1 with numeric\$2 with analy\$4 and (sub-set or subset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
67	BRS	3	(homoscedastic or heteroscedastic) adj nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:42	
68	BRS	14	"702"/\$.cccls. and tsai.xa. and residual\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 16:10	
69	BRS	3	"702"/\$.cccls. and tsai.xa. and residual\$1 with nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 16:14	
70	BRS	4	analy\$4 with unexplained with residual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 16:18	
71	BRS	39	analy\$4 with residual with predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 16:18	
72	BRS	6	analy\$4 with residual with predict\$3 with measur\$5 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 16:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
73	BRS	4	(class\$2 or classif\$7 or categor\$7) with (homoscedastic or heteroscedastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:36	
74	BRS	7	(compar\$4 or differen\$2) with predict\$3 with measured with (class\$2 or rank\$3 or categor\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:37	
75	BRS	21	(compar\$4 or differen\$2) with predict\$3 with measured with (class\$2 or class\$7 or rank\$3 or categor\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:37	
76	BRS	21	(compar\$4 or differen\$2) with predict\$3 with measured with (class\$7 or rank\$3 or categor\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:42	
77	BRS	14	(compar\$4 or differen\$2) with predict\$3 with measured with (signal\$1 or data or value\$1 or information\$1) with (class\$7 or rank\$3 or categor\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
78	BRS	7	(compar\$4 or differen\$2) with predict\$3 with measured with (signal\$1 or data or value\$1 or information\$1) with (class\$7 or rank\$3 or categor\$7) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:39	
79	BRS	10	(compar\$4 or differen\$2) with predict\$3 with measured with (class\$7 or rank\$3 or categor\$7) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:46	
80	BRS	20	(compar\$4 or differen\$2) with predict\$3 with model\$1 with measured with data and (class\$7 or rank\$3 or categor\$7) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:55	
81	BRS	22	compar\$4 with predict\$3 with model\$1 with measured with (differen\$2 or residual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
82	BRS	5	compar\$4 with predict\$3 with model\$1 with measured with (differen\$2 or residual) and (class\$3 or classif\$7 or rank\$3 or categr\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 10:58	
83	BRS	2	compar\$4 with predict\$3 with model\$1 with measured with (differen\$2 or residual) and (class\$3 or classif\$7 or rank\$3 or categr\$7) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 11:14	
84	BRS	11	"702"/\$.ccls. and tsai.xa. and predict\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 11:26	
85	BRS	1525	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 11:28	
86	BRS	2373	702/84,104,183,189,190,191 ,196.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 11:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
87	BRS	1590	700/29,33,44,38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 11:28	
88	BRS	489	708/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 11:28	
89	BRS	781	73/2,7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 11:28	
90	BRS	837	706/14,24,33,52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 11:28	
91	BRS	6	homoscedastic and heteroscedastic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 12:01	
92	BRS	5	(homoscedastic or heteroscedastic) with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
93	BRS	370	window\$1 with defin\$4 with range with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 13:54	
94	BRS	8	window\$1 with defin\$4 with range with value\$1 with greater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:58	
95	BRS	0	stor\$3 with measur\$6 with (variation\$1 or deviation\$1) with size with rang\$3 with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 14:54	
96	BRS	2	(record\$3 or stor\$3) with measur\$6 with (variation\$1 or deviation\$1) with size with rang\$3 with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:10	
97	BRS	2	(record\$3 or stor\$3) with measur\$6 with (variation\$1 or deviation\$1) with size with rang\$3 with (location\$1 or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:11	
98	BRS	24	(record\$3 or stor\$3) with measur\$6 with (variation\$1 or deviation\$1) with size with (location\$1 or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
99	BRS	4	(record\$3 or stor\$3) with measur\$6 with (variation\$1 or deviation\$1) with size with (location\$1 or position) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:41	
100	BRS	2005	Principal adj Component adj Analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:48	
101	BRS	0	Principal adj Component adj Analysis with measur\$4 with variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 16:04	
102	BRS	2	Principal adj Component adj Analysis with measur\$6 with variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 16:34	
103	BRS	0	n-way adj Principal adj Component adj Analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:46	
104	BRS	0	n-way adj Principal adj Component adj Analysis or (n-pca)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 15:46	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
105	BRS	293	"702"/\$.cccls. and Principal adj Component adj Analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 15:48	
106	BRS	439	defin\$3 with window\$1 with size\$1 with position\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 15:59	
107	BRS	14	defin\$3 with window\$1 with size\$1 with position\$1 and measur\$6 with variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:00	
108	BRS	9	defin\$3 with window\$1 with size\$1 with position\$1 and measur\$6 with variation\$1 and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:01	
109	BRS	0	window\$1 with size\$1 with position\$1 with measur\$6 with variation\$1 and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:02	
110	BRS	32	window\$1 with size\$1 with position\$1 with variation\$1 and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
111	BRS	0	window\$1 with size\$1 with position\$1 with variation\$1 with matrix and noise\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:02	
112	BRS	29	window\$1 with size\$1 with position\$1 with variation\$1 and matrix and noise\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:03	
113	BRS	0	window\$1 with size\$1 with position\$1 with variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:06	
114	BRS	0	window\$1 with size\$1 with position\$1 with (deviation or variation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:07	
115	BRS	0	window\$1 with size\$1 with position\$1 and measur\$6 with (deviation or variation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:06	
116	BRS	0	window\$1 with size\$1 with position\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
117	BRS	83	window\$1 with size\$1 with position\$1 with (deviation or variation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:07	
118	BRS	4	window\$1 with size\$1 with position\$1 with measur\$6 with (deviation or variation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:08	
119	BRS	9	window\$1 with size\$1 with position\$1 same measur\$6 with (deviation or variation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:08	
120	BRS	5	Principal adj Component with measur\$6 with variation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:34	
121	BRS	0	Principal adj Component with measur\$6 with variation\$1 with nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:35	
122	BRS	5	Principal adj Component with measur\$6 with (deviation\$1 or variation\$1) and nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
123	BRS	1	Principal adj Component with measur\$6 with (deviation\$1 or variation\$1) same nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 08:34	
124	BRS	13	plot\$4 with measur\$6 with (deviation\$1 or variation\$1) with nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/21 16:39	
125	BRS	43763	"702"/\$.ccls. amd Principal adj Component adj Analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 07:50	
126	IS&R	8	((("6249755") or ("5864773") or ("6285971") or ("6415276") or ("6331835") or ("6310626") or ("6202033") or ("5805447"))).PN.	USPAT	2004/12/22 08:37	
127	BRS	2	"20020040278"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/22 08:43	